



solidian.com/rebar

solidian REBAR & REMAT

non-metallic, loadbearing reinforcements for future generations

solidian.com





rusty buildings should be my future? no thanks!

build solid

solidian REBAR

The bar-shaped reinforcement **solidian** REBAR is combining high-strength carbon or glass fibers with extreme resistant resins and are produced in a pultrusion process.

In this process, the fibers are aligned extremely straight and are impregnated with an epoxy resin. After that they are cured in an oven. The use of non-metallic reinforcement is particularly useful when the reinforcement can show its advantages. For example, generally for exterior components or structures that have to withstand (dew) salt loads. This is where the corrosion-free properties of glass or carbon reinforcement can be beneficial.

The combination of elongated fibers and large diameters are leading to incredible high loadbearing capacities for the most extreme requirements, which are durable due to the noncorrosive materials.

As such **solidian** REBAR are accessible and walkable on site. They are the ideal non-corrosiv substitution for steel reinforcement

solidian **REBA**

characteristics solidian REBAR & solidian REMAT



Thinner, more filigree concrete components

Durable & long Corrosion free, chloride and







less concrete less weight less ressources

Extremely high-load capacities Lightweight and easy to install

product portfolio solidian RFBAR

		Ø4mm	Ø6mm	Ø8mm	Ø10mm	Ø12mm	Ø14mm	Ø16mm	Ø20mm	Ø25mm	Ø28mm
C	Carbon	0	0	0	0	0	Х	Х	Х	Х	Х
(Slass	0*	0*	0	0	0	0	0	0	0*	0*

* Optional diameters

Standard length: 6 m

Standard length for order-related productions: 0,5m - 12m

applications solidian REBAR & solidian REMAT



Strengthening

Structural



High-voltage



& electromagnetic Concrete systems Structures

Repair of the



Bridge construction



Balconies Concrete slabs & façades

Parking decks & garages



transfers all the outstanding properties of our barshaped reinforcements, the **solidian** REBAR, to the mat format. The result is a robust and walkable mat for more efficient handling on the construction site.

The **solidian** REBAR are attached to each other by durable and solid injection molded crossing points forming the rigid mat.

solidian REMAT is the right choice where ever highload occurs and components are permanently exposed to aggressive environmental influences such as de-icing salts.

product portfolio solidian RFMAT

	Ø4mm	Ø6mm	Ø8mm	Ø10mm	Ø12mm
Carbon	0	0	0	0	0
Glass	х	Х	0	0	0

Sustainability & FPD

In concrete with non-metallic reinforcement, the usual steel reinforcement is replaced by grid structures made of carbon or glass fibers. These do not corrode, which is why the concrete cover can be lower, making the concrete components significantly lighter and thinner.

In this way, up to 50% of resources (cement, sand, water) and up to 30% of CO₂ emissions can be saved, and in some cases even more, depending on the design. This represents a great potential for how we can better manage our resources and help build more climate neutral for generations to come.



Standard size: 6,0m x 2,3m Standard grid spacing: 150mm

Individual material combination. diameters, grid spacing and mat sizes are possible on request

A certified EPD (Environmental Product Declaration) is also available for **solidian** GRID, so that sustainability aspects can already be incorporated into the life cycle assessment of the building during the planning stage. It is important here that the complete life cycle is considered and taken as a basis for the calculation.



Tunnel &

Maritime

minina constructions

solidian **REBAR**

applications



About **solidian**

Always one step ahead with innovative products we can offer you perfect solutions for your needs

solidan has made a name for itself as a leading company that provides a wide range of solutions to improve construction structure.

We made a commitment to clients to provide them with customer service, technical support and being the leader in providing global innovative fiber material solutions. We use advanced technologies to produce special solutions according to your needs. Our functional grids are used to optimize product and processing properties in a wide variety of applications – including concretes, UHPC, cement-based mortars, adhesives, and dry-mix compounds.

Other Products



check out our website for more products and innovative solutions



solidian eGRID

Specially developed flexible grids in combination with electro conductive coatings provide high tensile strength and outstanding electro conductive properties. **solidian** eGRID is now also available with different conductive surface treatments for special applications in which electrical conductivity is important.



solidian Briksy

High-tech, non-Corrosive, AR glass or Carbon fiber reinforcement brick mesh on a roll for efficient crack control specially designed for any wall width.





is textile reinforcements made from various fibers such as carbon, glass, basalt, or hybrid and therefore is ultra-lightweight. Compared to dassic steel reinforcement, **solidian** reinforcements have up to 7 times higher tensile strength and do not corrode.



Advanced production technology

allows us to fulfill special market

reinforcements, according to

of Carbon, Basalt or Glass.

application or customer needs.

demands for both rigid and flexible

Hi-tech flexible reinforcements made



solidian REMAT

The solidian REMAT transfers all the outstanding properties of our barshaped reinforcements, the solidian REBAR, to the mesh format. The result is robust and walkable mats for more efficient handling on the construction site.

build solid.



•••

Croatia

 Pr. Slavka Rozgaja 3 47000 Karlovac Croatia - EU
+385 47 693 314
sales@solidian-kelteks.com

Germany

Sigmaringer Straße 150
72458 Albstadt, Germany - EU
+ 49 7431 103135
sales@solidian.com

Türkiye

- ♀ Mistral Tower Izmir K:42 D:42135170
- 35500 Izmir, Türkiye
- 🔇 + 49 7431 103135
- 🔀 sales-turkiye@solidian-kelteks.com



solidian CONNECTOR

Non-corrosive Carbon, Basalt, or AR-Glass connector with Single or Double Open End suitable for construction reinforcement in masonry, arches and vaults. Perfect for reinforcement of buildings in earthquake-affected areas.